

BMA THINNER SUPER

Code: BMA-THI010

Color: Clear

PROPERTIES

A super-fast drying thinner formulated as a mixture of aliphatic hydrocarbons and used for diluting lacquers, nitrocellulose and synthetic systems. It is designed to reduce the gel strength, improve the flow of the products and as a cleaner for pumps and tools before and after usage.

RECOMMENDED USES

BMA Thinner Super could be used for:

- ✓ Lacquers
- ✓ Synthetic systems
- ✓ Nitrocellulose systems

PERFORMANCE BENEFITS

- ✓ Fast drying ability
- ✓ Immediate thinning action
- ✓ Compatible with a wide range of substrates
- ✓ Ability to reduce gel strength
- ✓ Ability to reduce viscosity
- ✓ High miscibility with common organic solvents
- ✓ Good cleaning properties

CHARACTERISTIC PHYSICO-CHEMICAL DATA

Tests	Norms	Results
Specific Gravity (g/cm ³)	ASTM D1475	0.88
Consistency, at 25°C	ASTM D562	0.5 cP
Boiling Point	-	110°C

AVAILABLE PACKAGING

Gallons, Liters, Pails and Drums.

SHELF LIFE

BMA Thinner Super must be stored in closed and undamaged containers in a well-ventilated area where the humidity does not exceed 75%, the temperature varies between 5 and 35°C and away from a heating or freezing source.

Under these conditions the shelf life of BMA Thinner Super will be 3 years. After this period, the product is subjected to re-inspection. Proper handling is essential to maintain good quality.

HEALTH & SAFETY

Before using this product please consult our Safety Data Sheet (SDS) for complete information on Hazards Identification, First-Aid and Fire-Fighting Measures, Accidental Release Measures, Handling and Storage, Exposure Control and Personal Protection, Stability and Reactivity, Toxicological Information, and Transport Information.

QUALITY ASSURANCE

BMA Commercial & Industrial s.a.l is a holder of the ISO 9001:2015 and OHSAS 18001:2007 certificates, which guarantees that all operations are conducted in compliance with International Standards



ISO 9001:2015
Management
System
OHSAS 18001:2007
Occupational
Health and Safety



www.tuv.com
ID 9105068095

TDS.29 - Edition #: 1

IMPORTANT: The statements, technical information and recommendations contained herein are believed to be accurate. Since the conditions and methods of use of the product and of the information referred to herein are beyond our control, BMA Commercial & Industrial s.a.l expressly disclaims any and all liability as to any results obtained or arising from any use of the product or reliance on such information.